

DRAFT
Potential Stationary Source Control Measures for 8-hour Ozone SIP (October 26, 2005)

List #	Measure	Description	Emission Reduction Potential	Feasibility	Cost per Ton	Timeframe	PM2.5 Co-Benefits
S 1	Reductions from EGUs: OTC Model Rule	Adopt OTC Multipollutant Model Rule for EGUs.	H	M/H	L	2007	Yes
S 2	OTC Model Rule: Distributed Generation Rule	Adopt OTC Model Rule to Require Additional Controls on Distributed Generation Sources	L	L/M	M	2007	Yes
S 3	OTC Model Rule: Peaking Unit Rule	Adopt OTC Model Rule to Require Additional Controls on EGU Peaking Units	L	L/M	M	2007	Yes
S 4	OTC Model Rule: ICI Boiler Standards	Adopt OTC Model Rule on Standards for Industrial, Commercial, and Institutional Boilers.	L	L/M	M	2007	Yes
S 5	Reductions from EGUs Plant RACT/Technology- Based Approach	Identify and Require Additional Power Plant-Specific Emission Reduction Technologies.	M	L	H	2007	Yes
S 6	Emission Reduction Credit Retirement Program	Establish program to retire emission reduction credits for stationary sources.	M	L/M	L	2007	Yes